



4 端口固定式超高频 Gen 2 RFID 器


产品型号: GAO 236024



4 Gen2 RFID 236024 Gen2 RFID 4
EPC global Class1 Gen 2 and ISO 18600-6C u PoEv

LLRP

u v IT
WLAN è é I èè V èbsi =eí e è>cí osoí i è>ðTal ñ
ò è>cí osoí i WindowsóCEò. Oö ö ÷ ø 64èè ø ù ú64èè
û ù I ni el üScal eóy þ ý



- ò I ni el üScal eóy 64èè ø ù ú64èè û ù
- EPC global Class 1 Gen 2 and ISO 18000-6C
- DRè
- EPC
-
-
-





4 端口固定式超高频 Gen 2 RFID 器
产品型号: GAO 236024

02 è ð i o 28 è ð 860 è ð i o 868 è ð

10 dem i o 30 dem

ø ù ø ù 64 èè DRAè 64 èè

õ õ ÷ è>cí osoi i ° Windows° CE ò. O

SçèP A>í éEAè 2

D CP TTPS FTSP SS TTP FTP Tel nei SçèP
and çTP

I SO 18000-6C EPC Cl ass 1 Gen 2

I P

LLRP

. çET and C

Web

10ü100 éaseT R 40

I úO 2 2

24 DC POE IEEE 802.3aî

4 TçC

L 60 00-01 L 2043 I EC 60 00-1 Eç 60 00-1

RFúÉèl úEèC FCC Paí i 10 RSS 210 Eç 302 208 I CES-003

Cl ass è Eç 301 48 -1ú3



4 端口固定式超高频 Gen 2 RFID 器
 产品型号: GAO 236024

SAR üePE

FCC 4 CFR2 CET è || ei >n 60 Eç 00364

Ro S VÆEE

1 . 06 cm 14. cm 4. 32 cm

0. 82 ñg 0. 00 ñg

LED

0mm 0mm

-20 00

ù -40 0

0 i o 80



Ö ÷